SILVER LAKE

52" STEEL



Description
Silver Lake Pool – A beautifully designed marble pool wall with a sturdy steel frame that is built to last.

Key info
6" steel top rails and 6" steel verticals.
Available in 52" sidewalls.

Warranty
100% lifetime warranty on bottom rails.
35 year limited warranty on all other metal components.

Available sizes
Round 8', 12', 16', 18', 21', 24', 28'
Oval 20'x12', 24'x12', 28'x12', 24'x16', 28'x16', 32'x16', 34' x 18', 38' x 18', 41' x 21'

POOL FRAMES



Com-Pac™ II Oval Support System
Steel construction that offers a stylish, one-part tapered design that only exposes 9 inches of the support for a more attractive appearance. This helps accommodate larger pool models in smaller backyards.

Zinc Clad™ 11000 with hot-dipped galvanizing. Plus numerous protective coatings for protection and corrosion resistance.

Doughboy uses **more top rails and vertical legs** to create a more stable pool. Our heavy gauge steel bottom rails are stronger than competitive stainless steel and plastic rails.


WARRANTY
35 Year Limited Warranty against manufacturing defects.

VERTICAL END CAPS
Doughboy vertical end caps are made from 18 gauge galvanized steel – 50% heavier than most brands. This provides added stability at the base and the top of the pool.



Exact, pre-punched holes assure structural integrity and allow for a more precise installation. Other brands use slotted holes which cost less to produce but weaken the stability of their pools. Test and compare us to other brands by vigorously shaking the top rail. You can feel the stability.

BOTTOM RAILS



Premium-gauge steel used for the bottom rails is made with a 7-step process to ensure a long, trouble free life. They are backed with a 100% lifetime warranty.

IMPORTANT: Doughboy policy requires all Doughboy pools be installed with a Doughboy liner to guarantee warranty. Misuse of your pool may result in crippling injury and/or other dangers to life and health. Do not dive or jump. Do not use slides, diving boards, or any other platform or object which can be used for improper pool entry. Use only an above-ground swimming pool ladder to enter or exit your pool. It is your responsibility to secure your pool against unauthorized, unsupervised or unintentional entry.

CHANGE OF DESIGN: Doughboy Recreational expressly reserves the right to change or modify the design and construction of any product in due course of our manufacturing without incurring any obligation or liability to furnish or install such changes or modifications on products previously or subsequently sold.

IMPORTANT: The "No Diving" and other Warning Signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or website), the "No Diving" and other Warning Signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided. Due to the differences in monitors, device settings, and printers (brightness, contrast, saturation, etc.) there may be a slight difference in color between what is shown on our brochures/website and the final product.

Doughboy Recreational is in no way affiliated with any professional pool installer. If you have the pool installed by others, please supervise to be sure they comply with proper installation techniques as shown.



COPPER CANYON

48" & 52" STEEL



Description
Copper Canyon Pool – This beautiful pool will bring an "Old World" elegance to your backyard.

Key info
7" steel top rails and 6" steel verticals.
Available in 48" and 52" sidewalls.

Warranty
100% lifetime warranty on bottom rails.
35 year warranty on all other metal components.

Available sizes
Round 8', 12', 16', 18', 21', 24', 28'
Oval 18' x 12' *(only 52" sidewall)* 20'x12', 24'x12', 28'x12', 24' x 16', 28'x16', 32'x16', 40' x 16' *(only 48" sidewall)*, 34'x18', 38' x 18', 41' x 21'

POOL FRAMES



Com-Pac™ II Oval Support System
Steel construction that offers a stylish, one-part tapered design that only exposes 9 inches of the support for a more attractive appearance. This helps accommodate larger pool models in smaller backyards.

Zinc Clad™ 11000 with hot-dipped galvanizing. Plus numerous protective coatings for protection and corrosion resistance.

Doughboy uses **more top rails and vertical legs** to create a more stable pool. Our heavy gauge steel bottom rails are stronger than competitive stainless steel and plastic rails.

***Exclusive In-Wall Entry System** is available. In-Wall Steps are sold with a complete pool and connect with the wall for a seamless fit.* *(See Pricebook)*

•In-Wall Step has a 5-year warranty




VERTICAL END CAPS

Doughboy vertical end caps are made from 18 gauge galvanized steel – 50% heavier than most brands. This provides added stability at the base and the top of the pool.



Exact, pre-punched holes assure structural integrity and allow for a more precise installation. Other brands use slotted holes which cost less to produce but weaken the stability of their pools. Test and compare us to other brands by vigorously shaking the top rail. You can feel the stability.

BOTTOM RAILS



Premium-gauge steel used for the bottom rails is made with a 7-step process to ensure a long, trouble free life. They are backed with a 100% lifetime warranty.

WARRANTY

35 Year Limited Warranty against manufacturing defects.

IMPORTANT: Doughboy policy requires all Doughboy pools be installed with a Doughboy liner to guarantee warranty. Misuse of your pool may result in crippling injury and/or other dangers to life and health. Do not dive or jump. Do not use slides, diving boards, or any other platform or object which can be used for improper pool entry. Use only an above-ground swimming pool ladder to enter or exit your pool. It is your responsibility to secure your pool against unauthorized, unsupervised or unintentional entry.

CHANGE OF DESIGN: Doughboy Recreational expressly reserves the right to change or modify the design and construction of any product in due course of our manufacturing without incurring any obligation or liability to furnish or install such changes or modifications on products previously or subsequently sold.

IMPORTANT: The "No Diving" and other Warning Signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or website), the "No Diving" and other Warning Signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided. Due to the differences in monitors, device settings, and printers (brightness, contrast, saturation, etc.) there may be a slight difference in color between what is shown on our brochures/website and the final product.

Doughboy Recreational is in no way affiliated with any professional pool installer. If you have the pool installed by others, please supervise to be sure they comply with proper installation techniques as shown.



PALM SHORE

52" STEEL



Description
Palm Shore Pool – The world's most versatile pool – design looks great as an above-ground pool, yet is strong enough to be buried.

Key info
8 ½" steel top rails and 7" steel verticals.
Available in 52" sidewalls.

Warranty
100% lifetime warranty on bottom rails.
Limited lifetime warranty on all other metal components.

Available sizes
Round 8', 12', 16', 18', 21', 24', 28', 32'
Oval 18' x 12', 20'x12', 24'x12', 28'x12', 32'x12', 24'x16', 28'x16', 32'x16', 40' x 16', 34'x18', 38' x 18', 41' x 21'

POOL FRAMES



Com-Pac™ II Oval Support System
Steel construction that offers a stylish, one-part tapered design that only exposes 9 inches of the support for a more attractive appearance. This helps accommodate larger pool models in smaller backyards.

Zinc Clad™ 11000 with hot-dipped galvanizing. Plus numerous protective coatings for protection and corrosion resistance.

Doughboy uses **more top rails and vertical legs** to create a more stable pool. Our heavy gauge steel bottom rails are stronger than competitive stainless steel and plastic rails.

***Exclusive In-Wall Entry System** is available. In-Wall Steps are sold with a complete pool and connect with the wall for a seamless fit.* *(See Pricebook)*

•In-Wall Step has a 5-year warranty




VERTICAL END CAPS

Doughboy vertical end caps are made from 18 gauge galvanized steel – 50% heavier than most brands. This provides added stability at the base and the top of the pool.



Exact, pre-punched holes assure structural integrity and allow for a more precise installation. Other brands use slotted holes which cost less to produce but weaken the stability of their pools. Test and compare us to other brands by vigorously shaking the top rail. You can feel the stability.

BOTTOM RAILS



Premium-gauge steel used for the bottom rails is made with a 7-step process to ensure a long, trouble free life. They are backed with a 100% lifetime warranty.

WARRANTY

Limited Lifetime Warranty against manufacturing defects.

**Note: Classic Deluxe Skimmer is required for this pool.*

IMPORTANT: Doughboy policy requires all Doughboy pools be installed with a Doughboy liner to guarantee warranty. Misuse of your pool may result in crippling injury and/or other dangers to life and health. Do not dive or jump. Do not use slides, diving boards, or any other platform or object which can be used for improper pool entry. Use only an above-ground swimming pool ladder to enter or exit your pool. It is your responsibility to secure your pool against unauthorized, unsupervised or unintentional entry.

CHANGE OF DESIGN: Doughboy Recreational expressly reserves the right to change or modify the design and construction of any product in due course of our manufacturing without incurring any obligation or liability to furnish or install such changes or modifications on products previously or subsequently sold.

IMPORTANT: The "No Diving" and other Warning Signage provided must be installed on each pool as indicated in the instructions provided.



NOTE: In some photos of the pools in the brochure (or website), the "No Diving" and other Warning Signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided.
Due to the differences in monitors, device settings, and printers (brightness, contrast, saturation, etc.) there may be a slight difference in color between what is shown on our brochures/website and the final product.

Doughboy Recreational is in no way affiliated with any professional pool installer. If you have the pool installed by others, please supervise to be sure they comply with proper installation techniques as shown.

AUTUMN BREEZE

52" RESIN



Description
Autumn Breeze Pool – The wide verticals give this graceful pool a strong frame that features all of the beauty and benefits of resin materials.

Key info
6 ½" curved resin top rails and 6" resin verticals.
Available in 52" sidewalls.

Warranty
100% lifetime warranty on bottom rails.
35 year warranty on all other metal components.

Available sizes
Round 8', 12', 16', 18', 21', 24', 28'
Oval 20'x12', 24'x12', 28' x 12', 32' x 12', 44' x 12', 24'x16', 28'x16', 32'x16', 40' x16', 34'x18', 38' x 18', 41' x 21'

POOL FRAMES

Com-Pac™ II Oval Support System
Steel construction that offers a stylish, one-part tapered design that only exposes 9 inches of the support for a more attractive appearance. This helps accommodate larger pool models in smaller backyards.



Zinc Clad™ 11000 with hot-dipped galvanizing. Plus numerous protective coatings for protection and corrosion resistance.

Doughboy uses **more top rails and vertical legs** to create a more stable pool. Our heavy gauge steel bottom rails are stronger than competitive stainless steel and plastic rails.

***Exclusive In-Wall Entry System** is available. In-Wall Steps are sold with a complete pool and connect with the wall for a seamless fit.* *(See Pricebook)*

•In-Wall Step has a 5-year warranty




VERTICAL END CAPS

Doughboy vertical end caps are made from 18 gauge galvanized steel – 50% heavier than most brands. This provides added stability at the base and the top of the pool.



Exact, pre-punched holes assure structural integrity and allow for a more precise installation. Other brands use slotted holes which cost less to produce but weaken the stability of their pools. Test and compare us to other brands by vigorously shaking the top rail. You can feel the stability.

BOTTOM RAILS



Premium-gauge steel used for the bottom rails is made with a 7-step process to ensure a long, trouble free life. They are backed with a 100% lifetime warranty.

WARRANTY

35 Year Limited Warranty against manufacturing defects.

IMPORTANT: Doughboy policy requires all Doughboy pools be installed with a Doughboy liner to guarantee warranty. Misuse of your pool may result in crippling injury and/or other dangers to life and health. Do not dive or jump. Do not use slides, diving boards, or any other platform or object which can be used for improper pool entry. Use only an above-ground swimming pool ladder to enter or exit your pool. It is your responsibility to secure your pool against unauthorized, unsupervised or unintentional entry.

CHANGE OF DESIGN: Doughboy Recreational expressly reserves the right to change or modify the design and construction of any product in due course of our manufacturing without incurring any obligation or liability to furnish or install such changes or modifications on products previously or subsequently sold.

IMPORTANT: The "No Diving" and other Warning Signage provided must be installed on each pool as indicated in the instructions provided.


NOTE: In some photos of the pools in the brochure (or website), the "No Diving" and other Warning Signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided. Due to the differences in monitors, device settings, and printers (brightness, contrast, saturation, etc.) there may be a slight difference in color between what is shown on our brochures/website and the final product.

Doughboy Recreational is in no way affiliated with any professional pool installer. If you have the pool installed by others, please supervise to be sure they comply with proper installation techniques as shown.



SILVER RIDGE

52"/54" RESIN



Description
Silver Ridge Pool – A marble designed wall pattern with resin top rails and verticals are a beautiful combination. This pool will bring a lifetime of memories to any backyard.

Key info
6 1/2" flared resin top rails and 6" resin verticals.
Available in 52" and 54" sidewalls.

Warranty
100% lifetime warranty on bottom rails.
35 year warranty on all other metal components.

Available sizes
Round 12', 16', 18', 21', 24', 28'
Oval 20'x12', 24'x12', 28' x 12', 32' x 12', 44' x 12', 24'x16', 28'x16', 32'x16', 40' x16', 34'x18', 38' x 18', 41' x 21'

POOL FRAMES

Com-Pac™ II Oval Support System
Steel construction that offers a stylish, one-part tapered design that only exposes 9 inches of the support for a more attractive appearance. This helps accommodate larger pool models in smaller backyards.



Zinc Clad™ 11000 with hot-dipped galvanizing. Plus numerous protective coatings for protection and corrosion resistance.

Doughboy uses **more top rails and vertical legs** to create a more stable pool. Our heavy gauge steel bottom rails are stronger than competitive stainless steel and plastic rails.

***Exclusive In-Wall Entry System** is available. In-Wall Steps are sold with a complete pool and connect with the wall for a seamless fit.* *(See Pricebook)*

•In-Wall Step has a 5-year warranty




VERTICAL END CAPS

Doughboy vertical end caps are made from 18 gauge galvanized steel – 50% heavier than most brands. This provides added stability at the base and the top of the pool.



Exact, pre-punched holes assure structural integrity and allow for a more precise installation. Other brands use slotted holes which cost less to produce but weaken the stability of their pools. Test and compare us to other brands by vigorously shaking the top rail. You can feel the stability.

BOTTOM RAILS



Premium-gauge steel used for the bottom rails is made with a 7-step process to ensure a long, trouble free life. They are backed with a 100% lifetime warranty.

WARRANTY

35 Year Limited Warranty against manufacturing defects.

IMPORTANT: Doughboy policy requires all Doughboy pools be installed with a Doughboy liner to guarantee warranty. Misuse of your pool may result in crippling injury and/or other dangers to life and health. Do not dive or jump. Do not use slides, diving boards, or any other platform or object which can be used for improper pool entry. Use only an above-ground swimming pool ladder to enter or exit your pool. It is your responsibility to secure your pool against unauthorized, unsupervised or unintentional entry.



CHANGE OF DESIGN: Doughboy Recreational expressly reserves the right to change or modify the design and construction of any product in due course of our manufacturing without incurring any obligation or liability to furnish or install such changes or modifications on products previously or subsequently sold.


IMPORTANT: The "No Diving" and other Warning Signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or website), the "No Diving" and other Warning Signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided. Due to the differences in monitors, device settings, and printers (brightness, contrast, saturation, etc.) there may be a slight difference in color between what is shown on our brochures/website and the final product.

Doughboy Recreational is in no way affiliated with any professional pool installer. If you have the pool installed by others, please supervise to be sure they comply with proper installation techniques as shown.

CYPRESS RIDGE

52"/54" RESIN



Description
Cypress Ridge Pool – A classy, woodgrain designed wall pattern with resin top rails and verticals are a beautiful combination. This pool will bring a lifetime of memories to any backyard.

Key info
6 1/2" flared resin top rails and 6" resin verticals.
Available in 52" and 54" sidewalls.

Warranty
100% lifetime warranty on bottom rails.
35 year warranty on all other metal components.

Available sizes
Round 12', 16', 18', 21', 24', 28'
Oval 20'x12', 24'x12', 28' x 12', 32' x 12', 44' x 12', 24'x16', 28'x16', 32'x16', 40' x16', 34'x18', 38' x 18', 41' x 21'

POOL FRAMES

Com-Pac™ II Oval Support System
Steel construction that offers a stylish, one-part tapered design that only exposes 9 inches of the support for a more attractive appearance. This helps accommodate larger pool models in smaller backyards.



Zinc Clad™ 11000 with hot-dipped galvanizing. Plus numerous protective coatings for protection and corrosion resistance.

Doughboy uses **more top rails and vertical legs** to create a more stable pool. Our heavy gauge steel bottom rails are stronger than competitive stainless steel and plastic rails.

***Exclusive In-Wall Entry System** is available. In-Wall Steps are sold with a complete pool and connect with the wall for a seamless fit.* *(See Pricebook)*

•In-Wall Step has a 5-year warranty




VERTICAL END CAPS

Doughboy vertical end caps are made from 18 gauge galvanized steel – 50% heavier than most brands. This provides added stability at the base and the top of the pool.



Exact, pre-punched holes assure structural integrity and allow for a more precise installation. Other brands use slotted holes which cost less to produce but weaken the stability of their pools. Test and compare us to other brands by vigorously shaking the top rail. You can feel the stability.

BOTTOM RAILS



Premium-gauge steel used for the bottom rails is made with a 7-step process to ensure a long, trouble free life. They are backed with a 100% lifetime warranty.

WARRANTY

35 Year Limited Warranty against manufacturing defects.

IMPORTANT: Doughboy policy requires all Doughboy pools be installed with a Doughboy liner to guarantee warranty. Misuse of your pool may result in crippling injury and/or other dangers to life and health. Do not dive or jump. Do not use slides, diving boards, or any other platform or object which can be used for improper pool entry. Use only an above-ground swimming pool ladder to enter or exit your pool. It is your responsibility to secure your pool against unauthorized, unsupervised or unintentional entry.

CHANGE OF DESIGN: Doughboy Recreational expressly reserves the right to change or modify the design and construction of any product in due course of our manufacturing without incurring any obligation or liability to furnish or install such changes or modifications on products previously or subsequently sold.

IMPORTANT: The "No Diving" and other Warning Signage provided must be installed on each pool as indicated in the instructions provided.



NOTE: In some photos of the pools in the brochure (or website), the "No Diving" and other Warning Signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided.
Due to the differences in monitors, device settings, and printers (brightness, contrast, saturation, etc.) there may be a slight difference in color between what is shown on our brochures/website and the final product.

Doughboy Recreational is in no way affiliated with any professional pool installer. If you have the pool installed by others, please supervise to be sure they comply with proper installation techniques as shown.

DESERT SPRING

52" & 54" RESIN



Description
Desert Spring Pool – The soft, curved frame and beautiful pattern will add an elegant simplicity to any backyard.

Key info
8" curved resin top rails and 7" resin verticals.
Available in 52" and 54" sidewalls.

Warranty
100% lifetime warranty on bottom rails.
Limited lifetime warranty on all other components.

Available sizes
Round 8', 12', 16', 18', 21', 24', 28', 32'
Oval 18' x 12' *(only 52" sidewall)*, 20'x12', 24'x12', 28' x 12', 32' x 12', 24'x16', 28'x16', 32'x16', 40' x16', 34'x18', 38' x 18', 41' x 21'

POOL FRAMES

Com-Pac™ II Oval Support System
Steel construction that offers a stylish, one-part tapered design that only exposes 9 inches of the support for a more attractive appearance. This helps accommodate larger pool models in smaller backyards.



Zinc Clad™ 11000 with hot-dipped galvanizing. Plus numerous protective coatings for protection and corrosion resistance.

Doughboy uses **more top rails and vertical legs** to create a more stable pool. Our heavy gauge steel bottom rails are stronger than competitive stainless steel and plastic rails.

***Exclusive In-Wall Entry System** is available. In-Wall Steps are sold with a complete pool and connect with the wall for a seamless fit.* *(See Pricebook)*

•In-Wall Step has a 5-year warranty




VERTICAL END CAPS

Doughboy vertical end caps are made from 18 gauge galvanized steel – 50% heavier than most brands. This provides added stability at the base and the top of the pool.



Exact, pre-punched holes assure structural integrity and allow for a more precise installation. Other brands use slotted holes which cost less to produce but weaken the stability of their pools. Test and compare us to other brands by vigorously shaking the top rail. You can feel the stability.

BOTTOM RAILS



Premium-gauge steel used for the bottom rails is made with a 7-step process to ensure a long, trouble free life. They are backed with a 100% lifetime warranty.

WARRANTY

Limited Lifetime Warranty against manufacturing defects.

IMPORTANT: Doughboy policy requires all Doughboy pools be installed with a Doughboy liner to guarantee warranty. Misuse of your pool may result in crippling injury and/or other dangers to life and health. Do not dive or jump. Do not use slides, diving boards, or any other platform or object which can be used for improper pool entry. Use only an above-ground swimming pool ladder to enter or exit your pool. It is your responsibility to secure your pool against unauthorized, unsupervised or unintentional entry.

CHANGE OF DESIGN: Doughboy Recreational expressly reserves the right to change or modify the design and construction of any product in due course of our manufacturing without incurring any obligation or liability to furnish or install such changes or modifications on products previously or subsequently sold.

IMPORTANT: The "No Diving" and other Warning Signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or website), the "No Diving" and other Warning Signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided. Due to the differences in monitors, device settings, and printers (brightness, contrast, saturation, etc.) there may be a slight difference in color between what is shown on our brochures/website and the final product.

Doughboy Recreational is in no way affiliated with any professional pool installer. If you have the pool installed by others, please supervise to be sure they comply with proper installation techniques as shown.



PEARL RIVER

52" RESIN



Description
Pearl River Pool – This stunning wall pattern has a soft curved frame creating a luxurious feel.

Key info
8 curved resin top rails and 7" resin verticals.
Available in 52" sidewalls.

Warranty
100% lifetime warranty on bottom rails.
Limited lifetime warranty on all other components.

Available sizes
Round 8', 12', 16', 18', 21', 24', 28', 32'
Oval 18' x 12', 20'x12', 24'x12', 28'x12', 32'x12', 44' x 12', 24'x16', 28'x16', 32'x16', 40' x 16', 34'x18', 38' x 18', 41' x 21'

POOL FRAMES



Com-Pac™ II Oval Support System
Steel construction that offers a stylish, one-part tapered design that only exposes 9 inches of the support for a more attractive appearance. This helps accommodate larger pool models in smaller backyards.

Zinc Clad™ 11000 with hot-dipped galvanizing. Plus numerous protective coatings for protection and corrosion resistance.

Doughboy uses **more top rails and vertical legs** to create a more stable pool. Our heavy gauge steel bottom rails are stronger than competitive stainless steel and plastic rails.

***Exclusive In-Wall Entry System** is available. In-Wall Steps are sold with a complete pool and connect with the wall for a seamless fit.* *(See Pricebook)*

•In-Wall Step has a 5-year warranty




VERTICAL END CAPS

Doughboy vertical end caps are made from 18 gauge galvanized steel – 50% heavier than most brands. This provides added stability at the base and the top of the pool.



Exact, pre-punched holes assure structural integrity and allow for a more precise installation. Other brands use slotted holes which cost less to produce but weaken the stability of their pools. Test and compare us to other brands by vigorously shaking the top rail. You can feel the stability.

BOTTOM RAILS



Premium-gauge steel used for the bottom rails is made with a 7-step process to ensure a long, trouble free life. They are backed with a 100% lifetime warranty.

WARRANTY

Limited Lifetime Warranty against manufacturing defects.

IMPORTANT: Doughboy policy requires all Doughboy pools be installed with a Doughboy liner to guarantee warranty. Misuse of your pool may result in crippling injury and/or other dangers to life and health. Do not dive or jump. Do not use slides, diving boards, or any other platform or object which can be used for improper pool entry. Use only an above-ground swimming pool ladder to enter or exit your pool. It is your responsibility to secure your pool against unauthorized, unsupervised or unintentional entry.

CHANGE OF DESIGN: Doughboy Recreational expressly reserves the right to change or modify the design and construction of any product in due course of our manufacturing without incurring any obligation or liability to furnish or install such changes or modifications on products previously or subsequently sold.

IMPORTANT: The "No Diving" and other Warning Signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or website), the "No Diving" and other Warning Signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided. Due to the differences in monitors, device settings, and printers (brightness, contrast, saturation, etc.) there may be a slight difference in color between what is shown on our brochures/website and the final product.

Doughboy Recreational is in no way affiliated with any professional pool installer. If you have the pool installed by others, please supervise to be sure they comply with proper installation techniques as shown.



SARATOGA

52" RESIN



Description
Saratoga Pool – The massive pillars provide not only the structural strength to eliminate top rail rocking but also the visual impact that makes it clear this is an industry-leading pool.

Key info
10 1/2" curved resin top rails and 10" resin verticals.
Available in 52" sidewalls.

Warranty
100% lifetime warranty on bottom rails.
Limited lifetime warranty on all other components.

Available sizes
Round 8', 12', 16', 18', 21', 24', 28'
Oval 24'x12', 24' x 16', 28' x 16', 32' x 16', 34' x 18', 38' x 18', 41' x 21'

POOL FRAMES

Com-Pac™ II Oval Support System
Steel construction that offers a stylish, one-part tapered design that only exposes 9 inches of the support for a more attractive appearance. This helps accommodate larger pool models in smaller backyards.



Zinc Clad™ 11000 with hot-dipped galvanizing. Plus numerous protective coatings for protection and corrosion resistance.

Doughboy uses **more top rails and vertical legs** to create a more stable pool. Our heavy gauge steel bottom rails are stronger than competitive stainless steel and plastic rails.

***Exclusive In-Wall Entry System** is available. In-Wall Steps are sold with a complete pool and connect with the wall for a seamless fit.* *(See Pricebook)*

•In-Wall Step has a 5-year warranty




VERTICAL END CAPS

Doughboy vertical end caps are made from 18 gauge galvanized steel – 50% heavier than most brands. This provides added stability at the base and the top of the pool.



Exact, pre-punched holes assure structural integrity and allow for a more precise installation. Other brands use slotted holes which cost less to produce but weaken the stability of their pools. Test and compare us to other brands by vigorously shaking the top rail. You can feel the stability.

BOTTOM RAILS



Premium-gauge steel used for the bottom rails is made with a 7-step process to ensure a long, trouble free life. They are backed with a 100% lifetime warranty.

WARRANTY

Lifetime Warranty against manufacturing defects.

•Note: Classic Deluxe Skimmer is required for this pool

IMPORTANT: Doughboy policy requires all Doughboy pools be installed with a Doughboy liner to guarantee warranty. Misuse of your pool may result in crippling injury and/or other dangers to life and health. Do not dive or jump. Do not use slides, diving boards, or any other platform or object which can be used for improper pool entry. Use only an above-ground swimming pool ladder to enter or exit your pool. It is your responsibility to secure your pool against unauthorized, unsupervised or unintentional entry.

CHANGE OF DESIGN: Doughboy Recreational expressly reserves the right to change or modify the design and construction of any product in due course of our manufacturing without incurring any obligation or liability to furnish or install such changes or modifications on products previously or subsequently sold.

IMPORTANT: The "No Diving" and other Warning Signage provided must be installed on each pool as indicated in the instructions provided.



NOTE: In some photos of the pools in the brochure (or website), the "No Diving" and other Warning Signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided. Due to the differences in monitors, device settings, and printers (brightness, contrast, saturation, etc.) there may be a slight difference in color between what is shown on our brochures/website and the final product.

Doughboy Recreational is in no way affiliated with any professional pool installer. If you have the pool installed by others, please supervise to be sure they comply with proper installation techniques as shown.